



KAINDL

SOLID

BOARDS

FLOORS

FLOORING collection **SOLID**

IDEAS

DEUTSCH ENGLISH



Quality floors from Salzburg.





VORTEILE

- Einfache, komfortable und schnelle Verlegung
- Sichere Verriegelung dank bewährtem Kaindl Fold Down System
- Geeignet für die Verlegung auf Fußbodenheizung
- Strapazierfähig – ideal für hohe Beanspruchung
- Langlebig – bis zu 30 Jahre Kaindl Garantie
- Lichtecht – kein Ausbleichen des Designs
- Wohngesund – antibakteriell, hygienisch und höchste Raumluftgüte

ADVANTAGES

- *Convenient, quick and easy installation*
- *Secure locking thanks to the proven Kaindl Fold Down System*
- *Suitable for installation on underfloor heating*
- *Hard-wearing – ideal for high traffic areas*
- *Long-lasting – up to 30-year Kaindl warranty*
- *Lightfast – no bleaching of the design*
- *Healthy living – anti-bacterial, hygienic, excellent air quality*



SOLID

8.0 Mediumdiele | *Medium Plank*

08

SOLID PRO

4.0 Kompaktdiele | *Compact Plank*

16

5.0 Kompaktdiele | *Compact Plank*

20

5.0 Kompaktfliese | *Compact Tile*

26

4.0 Designdiele | *Design Plank*

30




HDF

Quellungsarme HDF Holzfaserplatte
Low swelling HDF fibre board



SPC

Mineralische Vinyl Trägerplatte mit Schalldämmung
Stone Powder Compound board with acoustic layer



RVC

Hart-Vinyl Trägerplatte
Rigid Vinyl Compound board

SOLID

- Formstabile, hochverdichtete Holzfaserplatte
 - Elastische, hochwertige Vinylschicht
 - Wasserresistente Oberfläche
 - Weich und fußwarm
 - Leise und schalldämmend
 - Antistatisch
 - Ideal für den gesamten Wohnbereich
- *Inherently stable, highly compacted fibreboard*
 - *Highly compacted elastic vinyl coat*
 - *Water-resistant surface*
 - *Soft and warm underfoot*
 - *Quiet and noise-absorbing*
 - *Anti-static*
 - *Ideal for the entire living area*

SOLID PRO

- Wasserfest
 - Formstabil
 - Exzellenter Gehkomfort, angenehme Oberfläche
 - Im Dielen- und Fliesenformat erhältlich
 - Keine Dehnungsfugen bei Verlegung auf einer Fläche von max. 400m²*
 - Rutschhemmend
 - Widerstandsfähig und abriebfest
 - Unempfindlich gegen Flecken, Kratzer und Druckstellen
 - Geringe Aufbauhöhe, bestens geeignet für Renovierungen
 - RVC ideal für Küchen, Vorräume und Bäder
 - SPC ideal für Wintergärten und Feuchträume
- *Waterproof*
 - *Inherently stable*
 - *Very comfortable underfoot, pleasant surface*
 - *Available in board and tile formats*
 - *No expansion gaps when installed on an area of up to 400m²**
 - *Non-slip*
 - *Resilient and abrasion-proof*
 - *Insensitive to stains, scratches and pressure points*
 - *Low structural height, perfect for renovation projects*
 - *RVC ideal for kitchens, entrance halls and bathrooms*
 - *SPC ideal for conservatories and wet-rooms*

* Unter Berücksichtigung der Verlegeanleitung.

* *In consideration of the installation instruction.*

HDF

Quellungsarme HDF Holzfaserplatte | *Low swelling HDF fibre board*

Dielenformat | *Plank Format*



Mediumdielen | *Medium Plank: 1383 x 223 mm*


Dekorbild | *Design*




1-Stab | *1-Strip*

30 YEARS
KAINDL GARANTIE

Garantie | *Guarantee*



Nutzungsstufe | *Utility Class*



BW Brushed Wood



8.0 Mediumdiele | **8.0** *Medium Plank*





S083 Kiefer | Pine **AROSA** **BW** Brushed Wood

67278



S084 Eiche | Oak **DAVOS** **BW** Brushed Wood

67213



S086 Eiche | Oak **VERDONA** **BW** Brushed Wood

67451



S093 Eiche | Oak **MEVIA** **BW** Brushed Wood

67275



S085 Eiche | Oak **GERONA** **BW** Brushed Wood

67271



S087 Eiche | Oak **BAYAMO** **BW** Brushed Wood

67362



S091 Kiefer | Pine **LEVADO** **BW** Brushed Wood

67395



S089 Eiche | Oak **VADERO** **BW** Brushed Wood

67452



S088 Eiche | Oak **HAVANNA** **BW** Brushed Wood

67235

8.0 Mediumdiele | 8.0 Medium Plank



S090 Eiche | Oak **BACOA** **BW** Brushed Wood

67273



S092 Eiche | Oak **MORA** **BW** Brushed Wood

67221



S091 Kiefer | Pine **LEVADO** **BW** Brushed Wood



S082 Schiefer | Slate **TRIAS** **BW** Brushed Wood

67450



S081 Schiefer | Slate **FENIT** **BW** Brushed Wood

67449



S080 Schiefer | Slate **FLINT** **BW** Brushed Wood

67448



SOLID PRO

SPC

Mineralische Vinyl Trägerplatte mit Schalldämmung
Stone Powder Compound board with acoustic layer

Dielenformat | *Plank Format*



Kompaktdele | *Compact Plank*: 1210 x 192 mm


Dekorbild | *Design*




1-Stab | *1-Strip*

25 YEARS
KAINDL GARANTIE


Garantie | *Guarantee*



Nutzungsklasse | *Utility Class*



VS Natural Oak



AT Authentic Touch



4.0 Kompaktdiele | 4.0 Compact Plank




SOLID PRO




S300 Eiche | Oak **MODENA VS** Natural Oak

67432



S301 Eiche | Oak **MESSINA AT** Authentic Touch

67362



S302 Eiche | Oak **MANTURA VS** Natural Oak

67235



SOLID PRO

SPC

Mineralische Vinyl Trägerplatte mit Schalldämmung
Stone Powder Compound board with acoustic layer

Dielenformat | *Plank Format*



Kompaktdiele | *Compact Plank*: 1210 x 192 mm


Dekorbild | *Design*




1-Stab | *1-Strip*

30 YEARS
KAINDL GARANTIE


Garantie | *Guarantee*



Nutzungsklasse | *Utility Class*



VS Natural Oak



AT Authentic Touch



5.0 Kompaktdiele | **5.0** *Compact Plank*



SOLID PRO



S303 Eiche | Oak **PADUA VS** Natural Oak

67222



S306 Eiche | Oak **SALERNO AT** Authentic Touch

67245



S305 Eiche | Oak **ANCONA AT** Authentic Touch

67263

5.0 Kompaktdiele | 5.0 Compact Plank



S304 Eiche | Oak **LUCCA** **AT** Authentic Touch

67288



S306 Eiche | Oak **SALERNO** **AT** Authentic Touch

SOLID PRO



S307 Eiche | Oak **TERNI VS** Natural Oak

67398



S308 Eiche | Oak **NOVARA VS** Natural Oak

67207



S309 Eiche | Oak **MARSALA VS** Natural Oak

67067



S308 Eiche | Oak **NOVARA VS** Natural Oak

SOLID PRO

SPC


Mineralische Vinyl Trägerplatte mit Schalldämmung
Stone Powder Compound board with acoustic layer

Dielenformat | *Plank Format*



Kompaktfiese | *Compact Tile*: 600 x 295 mm


Dekorbild | *Design*




Fliese | *Tile*

30 YEARS
KAINDL GARANTIE

Garantie | *Guarantee*



Nutzungsstufe | *Utility Class*



BS Brushed Stone





SOLID PRO




S310 Beton | Concrete **FANO** **BS** Brushed Stone

67426



S313 Marmor | Marble **MILANO** **BS** Brushed Stone

67157



S314 Schiefer | Slate **MONACO** **BS** Brushed Stone

67427



S310 Beton | Concrete **FANO** **BS** Brushed Stone

SOLID PRO

RVC

Hart-Vinyl Trägerplatte
Rigid Vinyl Compound board

Dielenformat | *Plank Format*



Designziele | *Design Plank*: 1280 x 192 mm


Dekorbild | *Design*



1-Stab | *1-Strip*

30 YEARS
KAINDL GUARANTEE

Garantie | *Guarantee*



Nutzungsstufe | *Utility Class*



AS Solid





SOLID PRO



SP10 Eiche | Oak **ALPINE** **AS** Solid

67410



SP20 Eiche | Oak **AVIS** **AS** Solid

67276



SP30 Eiche | Oak **TREA** **AS** Solid

67098



SP40 Eiche | Oak **OREWA** **AS** Solid

67243



SP20 Eiche | Oak **AVIS** **AS** Solid

SOLID PRO



SP70 Eiche | Oak **SION** **AS** Solid

67268



SP50 Eiche | Oak **VARIN** **AS** Solid

67241



SP60 Kiefer | Pine **TORRA** **AS** Solid

67207



SOLID

8.0 Mediumdiele | 8.0 Medium Plank

Dekor-Nr. Decor-No.		Dekorbezeichnung Decor	Oberfläche Surface	Dekorbild Design	Verlegung Installation	Sockelleiste Skirting Board	Seite Page
S080	Schiefer Slate	FLINT	BW	1-Stab 1-Strip	Fold Down	67448	14
S081	Schiefer Slate	FENIT	BW	1-Stab 1-Strip	Fold Down	67449	14
S082	Schiefer Slate	TRIAS	BW	1-Stab 1-Strip	Fold Down	67450	14
S083	Kiefer Pine	AROSA	BW	1-Stab 1-Strip	Fold Down	67278	10
S084	Eiche Oak	DAVOS	BW	1-Stab 1-Strip	Fold Down	67213	10
S085	Eiche Oak	GERONA	BW	1-Stab 1-Strip	Fold Down	67271	11
S086	Eiche Oak	VERDONA	BW	1-Stab 1-Strip	Fold Down	67451	10
S087	Eiche Oak	BAYAMO	BW	1-Stab 1-Strip	Fold Down	67362	11
S088	Eiche Oak	HAVANNA	BW	1-Stab 1-Strip	Fold Down	67235	12
S089	Eiche Oak	VADERO	BW	1-Stab 1-Strip	Fold Down	67452	12
S090	Eiche Oak	BACOA	BW	1-Stab 1-Strip	Fold Down	67273	13
S091	Kiefer Pine	LEVADO	BW	1-Stab 1-Strip	Fold Down	67395	12
S092	Eiche Oak	MORA	BW	1-Stab 1-Strip	Fold Down	67221	13
S093	Eiche Oak	MEVIA	BW	1-Stab 1-Strip	Fold Down	67275	11

SOLID PRO

4.0 Kompaktdiele | 4.0 Compact Plank

S300	Eiche Oak	MODENA	VS	1-Stab 1-Strip	Fold Down	67432	18
S301	Eiche Oak	MESSINA	AT	1-Stab 1-Strip	Fold Down	67362	18
S302	Eiche Oak	MANTURA	VS	1-Stab 1-Strip	Fold Down	67235	18

SOLID PRO

5.0 Kompaktdiele | 5.0 Compact Plank

S303	Eiche Oak	PADUA	VS	1-Stab 1-Strip	Fold Down	67222	22
S304	Eiche Oak	LUCCA	AT	1-Stab 1-Strip	Fold Down	67288	23
S305	Eiche Oak	ANCONA	AT	1-Stab 1-Strip	Fold Down	67263	22
S306	Eiche Oak	SALERNO	AT	1-Stab 1-Strip	Fold Down	67245	22
S307	Eiche Oak	TERNI	VS	1-Stab 1-Strip	Fold Down	67398	24
S308	Eiche Oak	NOVARA	VS	1-Stab 1-Strip	Fold Down	67207	24
S309	Eiche Oak	MARSALA	VS	1-Stab 1-Strip	Fold Down	67067	24

SOLID PRO

5.0 Kompaktdiele | 5.0 Compact Tile


S310	Beton Concrete	FANO	BS	Fliese Tile	Fold Down	67426	28
S313	Marmor Marble	MILANO	BS	Fliese Tile	Fold Down	67157	28
S314	Schiefer Slate	MONACO	BS	Fliese Tile	Fold Down	67427	28

SOLID PRO


4.0 Designdiele | 4.0 Design Plank

SP10	Eiche Oak	ALPINE	AS	1-Stab 1-Strip	Fold Down	67410	32
SP20	Eiche Oak	AVIS	AS	1-Stab 1-Strip	Fold Down	67276	32
SP30	Eiche Oak	TREA	AS	1-Stab 1-Strip	Fold Down	67098	32
SP40	Eiche Oak	OREWA	AS	1-Stab 1-Strip	Fold Down	67243	33
SP50	Eiche Oak	VARIN	AS	1-Stab 1-Strip	Fold Down	67241	34
SP60	Kiefer Pine	TORRA	AS	1-Stab 1-Strip	Fold Down	67207	34
SP70	Eiche Oak	SION	AS	1-Stab 1-Strip	Fold Down	67268	34


HDF

Nutzungsklasse Utility Class	Garantie* Guarantee*	Verpackung Packaging
	<p>30 YEARS KAINDL GUARANTEE</p>	<p>Pak: 7 Stk./2,16 m²/17,1 kg Pal: 36 Pak./77,72 m²/639,3 kg Pac: 7 pcs./23.24 sq ft /37.7 lbs Pallet: 36 pac./836.57 sq ft/1409.5 lbs</p>


SPC

	<p>25 YEARS KAINDL GUARANTEE</p>	<p>Pak: 9 Stk./2,10 m²/11,0 kg Pal: 40 Pak./83,64 m²/470,2 kg Pac: 9 pcs./22.51 sq ft /24.2 lbs Pallet: 40 pac./900.24 sq ft/1036.5 lbs</p>
--	---	--


SPC

	<p>30 YEARS KAINDL GUARANTEE</p>	<p>Pak: 8 Stk./1,86 m²/17,4 kg Pal: 40 Pak./74,34 m²/731,4 kg Pac: 8 pcs./20.01 sq ft /38.4 lbs Pallet: 40 pac./800.22 sq ft/1612.4 lbs</p>
--	---	--

SPC

	<p>30 YEARS KAINDL GUARANTEE</p>	<p>Pak: 11 Stk./1,95 m²/18,2 kg Pal: 36 Pak./70,09 m²/691,3 kg Pac: 11 pcs./20.96 sq ft /40.2 lbs Pallet: 36 pac./754.47 sq ft/1524.0 lbs</p>
--	---	--


RVC

	<p>30 YEARS KAINDL GUARANTEE</p>	<p>Pak: 11 Stk./2,70 m²/13,0 kg Pal: 60 Pak./162,2 m²/880 kg Pac: 11 pcs./29.10 sq ft /28.7 lbs Pallet: 60 pac./1745.94 sq ft/1940.1 lbs</p>
--	---	---

Aufbau | Product Construction


SOLID

HDF




SOLID PRO

SPC



SOLID PRO


RVC




Sockelleisten | *Skirting Boards*

Passend zum Fußboden Design
Suitable for any floor design

Spritzwasser beständig, weiß, Nr. 67157
Splash resistant, white, No. 67157



Dielenformate | *Plank Formats*



* außer | except
 Solid Pro



* außer | except
 Solid















* außer | except Solid: A

**Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).*



Technische Details auf
 Technical datasheet on
www.kaindl.com

Materialnummer Material No.	Beschreibung Description	Verpackungseinheit Packaging Unit	Abbildung Illustration
SL5018	Sockelleiste 2600 x 50 x 18 mm Skirting Board 2600 x 50 x 18 mm	10 Stk. pro Dekor pro Karton = 26 Lfm., 640 Stk. pro Palette 10 pcs. per decor per box = 26 lm., 640 pcs. per pallet	
SL501867157	Sockelleiste, spritzwasser beständig, weiß 2600 x 50 x 18 Skirting Board, splash resistant, white 2600 x 50 x 18 mm		
FZLECL	Clips für Sockelleisten Mounting clips for Skirting Boards	30 Stk. pro Karton, 50 Kartons pro Überkarton, 36 Überkartons pro Palette 30 pcs. per box, 50 boxes per outer box, 36 outer boxes per pallet	
FZABHA	Abstandhalter Spacer	20 Stk. pro Beutel, 30 Beutel pro Karton 20 pcs. per bag, 30 bags per box	
FZSOUN10	Sound System Underlay 1.0 mm	1 Stk. pro Karton = 10 m ² 1 pc. per box = 10 m ²	
FZ5IEED	Inneneck, Edelstahloptik Inner corner, brushed steel optic	2 Stk. pro Beutel, 10 Beutel pro Karton 2 pcs. per bag, 10 bags per box	
FZ5IEWE	Inneneck, weiß Inner corner, white		
FZ5AEED	Außeneck, Edelstahloptik Outer corner, brushed steel optic	2 Stk. pro Beutel, 10 Beutel pro Karton 2 pcs. per bag, 10 bags per box	
FZ5AEWE	Außeneck, weiß Outer corner, white		
FZ5ESED	Endstück, Edelstahloptik End piece, brushed steel optic	2 Stk. pro Beutel, 10 Beutel pro Karton 2 pcs. per bag, 10 bags per box	
FZ5ESWE	Endstück, weiß End piece, white		
FZALBA	Alu-Klebeband, 50 m x 50 mm Aluminium tape, 50 m x 50 mm	50 Lfm. pro Rolle, 36 Rollen pro Paket 50 lm. per roll, 36 rolls per pack	
FZWIPF	Wischpflege, 1 Liter Cleaner, 1 liter	15 Stk. pro Karton, 28 Kartons pro Palette 15 pcs. per box, 28 boxes per pallet	

Materialnummer Material No.	Beschreibung Description	Verpackungseinheit Packaging Unit	Abbildung Illustration
--------------------------------	-----------------------------	--------------------------------------	---------------------------




SOLID

HDF

FZPRB27EDEL	Bewegungsprofil 2700 mm, Edelstahloptik <i>Transition profile 2700 mm, brushed steel optic</i>	10 Stk. pro Karton <i>10 pcs. per box</i>	
FZPRE27EDEL	Endprofil 2700 mm, Edelstahloptik <i>End profile 2700 mm, brushed steel optic</i>	10 Stk. pro Karton <i>10 pcs. per box</i>	
FZPRA27EDEL	Ausgleichsprofil 2700 mm, Edelstahloptik <i>Reducer profile 2700 mm, brushed steel optic</i>	10 Stk. pro Karton <i>10 pcs. per box</i>	
FZPRT27EDEL	Treppenprofil 2700 mm, Edelstahloptik <i>Stair profile 2700 mm, brushed steel optic</i>	10 Stk. pro Karton <i>10 pcs. per box</i>	

SOLID PRO

SPC
RVC

FZPRB9PRO	Bewegungsprofil 900 mm, Edelstahloptik <i>Transition profile 900 mm, brushed steel optic</i>	10 Stk. pro Karton <i>10 pcs. per box</i>	
FZPRB27PRO	Bewegungsprofil 2700 mm, Edelstahloptik <i>Transition profile 2700 mm, brushed steel optic</i>	5 Stk. pro Karton <i>5 pcs. per box</i>	
FZPRE9PRO	Endprofil 900 mm, Edelstahloptik <i>End profile 900 mm, brushed steel optic</i>	10 Stk. pro Karton <i>10 pcs. per box</i>	
FZPRE27PRO	Endprofil 2700 mm, Edelstahloptik <i>End profile 2700 mm, brushed steel optic</i>	5 Stk. pro Karton <i>5 pcs. per box</i>	
FZPRA9PRO	Ausgleichsprofil 900 mm, Edelstahloptik <i>Reducer profile 900 mm, brushed steel optic</i>	10 Stk. pro Karton <i>10 pcs. per box</i>	
FZPRA27PRO	Ausgleichsprofil 2700 mm, Edelstahloptik <i>Reducer profile 2700 mm, brushed steel optic</i>	5 Stk. pro Karton <i>5 pcs. per box</i>	

